

## Supplementary References

1. Varma, A. & Palsson, B. O. Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type *Escherichia coli* W3110. *Appl. Environ. Microbiol.* **60**, 3724-31 (1994).
2. Varma, A. & Palsson, B. O. Metabolic capabilities of *Escherichia coli* - II. Optimal growth patterns. *J. Theor. Biol.* **165**, 503-522 (1993).
3. Bonarius, H. P. J., Schmid, G. & Tramper, J. Flux analysis of underdetermined metabolic networks: the quest for the missing constraints. *Trends. Biotechnol.* **15**, 308-314 (1997).
4. Reed, J. L. & Palsson, B. O. Thirteen years of building constraint-based in silico models of *Escherichia coli*. *J Bacteriol* **185**, 2692-9 (2003).
5. Schilling, C. H., Edwards, J. S. & Palsson, B. O. Toward metabolic phenomics: analysis of genomic data using flux balances. *Biotechnol. Prog.* **15**, 288-95. (1999).
6. Bailey, J. E. Complex biology with no parameters. *Nat. Biotechnol.* **19**, 503-4. (2001).
7. Jin, Y. S. & Jeffries, T. W. Stoichiometric network constraints on xylose metabolism by recombinant *Saccharomyces cerevisiae*. *Metab Eng* **6**, 229-38. (2004).
8. Forster, J., Famili, I., Palsson, B. O. & Nielsen, J. Large-scale evaluation of in silico gene deletions in *Saccharomyces cerevisiae*. *Omics* **7**, 193-202 (2003).
9. Famili, I., Forster, J., Nielsen, J. & Palsson, B. O. *Saccharomyces cerevisiae* phenotypes can be predicted by using constraint-based analysis of a genome-scale reconstructed metabolic network. *Proc Natl Acad Sci U S A* **100**, 13134-9 (2003).
10. Duarte, N. C., Herrgard, M. J. & Palsson, B. O. Reconstruction and validation of *Saccharomyces cerevisiae* iND750, a fully compartmentalized genome-scale metabolic model. *Genome Res* **14**, 1298-309 (2004).
11. Edwards, J. S. & Palsson, B. O. Metabolic flux balance analysis and the in silico analysis of *Escherichia coli* K-12 gene deletions. *BMC Bioinformatics* **1**, 1. (2000).
12. Edwards, J. S. & Palsson, B. O. The *Escherichia coli* MG1655 in silico metabolic genotype: its definition, characteristics, and capabilities. *Proc. Natl. Acad. Sci. USA* **97**, 5528-33. (2000).
13. Segrè, D., Vitkup, D. & Church, G. M. Analysis of optimality in natural and perturbed metabolic networks. *Proc Natl Acad Sci U S A* **99**, 15112-15117 (2002).
14. Fong, S. S. & Palsson, B. O. Metabolic gene-deletion strains of *Escherichia coli* evolve to computationally predicted growth phenotypes. *Nat Genet* **36**, 1056-8. Epub 2004 Sep 26. (2004).
15. Forster, J., Famili, I., Fu, P., Palsson, B. O. & Nielsen, J. Genome-scale reconstruction of the *Saccharomyces cerevisiae* metabolic network. *Genome Res* **13**, 244-53 (2003).

16. Pham, H. T., Larsson, G. & Enfors, S. O. Growth and energy metabolism in aerobic fed-batch cultures of *Saccharomyces cerevisiae*: simulation and model verification. *Biotechnol Bioeng* **60**, 474-82 (1998).
17. Van Hoek, P., Van Dijken, J. P. & Pronk, J. T. Effect of specific growth rate on fermentative capacity of baker's yeast. *Appl Environ Microbiol* **64**, 4226-33 (1998).
18. Diderich, J. A. et al. Glucose uptake kinetics and transcription of HXT genes in chemostat cultures of *Saccharomyces cerevisiae*. *J Biol Chem* **274**, 15350-9 (1999).
19. Blank, L. M. & Sauer, U. TCA cycle activity in *Saccharomyces cerevisiae* is a function of the environmentally determined specific growth and glucose uptake rates. *Microbiology* **150**, 1085-93 (2004).
20. Nissen, T. L., Schulze, U., Nielsen, J. & Villadsen, J. Flux distributions in anaerobic, glucose-limited continuous cultures of *Saccharomyces cerevisiae*. *Microbiology-Uk* **143**, 203-218 (1997).
21. Ramos, F. & Wiame, J. M. Mutation Affecting the Specific Regulatory Control of Lysine Biosynthetic Enzymes in *Saccharomyces-cerevisiae*. *Molecular & General Genetics* **200**, 291-294 (1985).
22. Haselbeck, R. J. & McAlisterhenn, L. Function and Expression of Yeast Mitochondrial Nad-Specific and Nadp-Specific Isocitrate Dehydrogenases. *Journal of Biological Chemistry* **268**, 12116-12122 (1993).
23. Panozzo, C. et al. Aerobic and anaerobic NAD(+) metabolism in *Saccharomyces cerevisiae*. *Febs Letters* **517**, 97-102 (2002).
24. Brandriss, M. C. & Magasanik, B. Proline - an essential intermediate in arginine degradation in *Saccharomyces-cerevisiae*. *Journal of Bacteriology* **143**, 1403-1410 (1980).
25. Huang, H. L. & Brandriss, M. C. The regulator of the yeast proline utilization pathway is differentially phosphorylated in response to the quality of the nitrogen source. *Molecular and Cellular Biology* **20**, 892-899 (2000).
26. Fraenkel, D. G. Mutants in glucose metabolism. *Annu Rev Biochem* **55**, 317-37. (1986).
27. Uemura, H. & Fraenkel, D. G. Glucose metabolism in gcr mutants of *Saccharomyces cerevisiae*. *Journal of Bacteriology* **181**, 4719-4723 (1999).
28. Schaaffgerstenschlager, I., Mannhaupt, G., Vetter, I., Zimmermann, F. K. & Feldmann, H. Tkl2, a 2nd transketolase gene of *Saccharomyces-cerevisiae* - cloning, sequence and deletion analysis of the gene. *European Journal of Biochemistry* **217**, 487-492 (1993).
29. Gasch, A. P. et al. Genomic expression programs in the response of yeast cells to environmental changes. *Molecular Biology of the Cell* **11**, 4241-4257 (2000).
30. Heinisch, J. J., Muller, S., Schluter, E., Jacoby, J. & Rodicio, R. Investigation of two yeast genes encoding putative isoenzymes of phosphoglycerate mutase. *Yeast* **14**, 203-213 (1998).
31. DeLuna, A., Avendano, A., Riego, L. & Gonzalez, A. NADP-glutamate dehydrogenase isoenzymes of *Saccharomyces cerevisiae*. Purification, kinetic properties, and physiological roles. *J Biol Chem* **276**, 43775-83 (2001).

32. Contreras-Shannon, V. & McAlister-Henn, L. Influence of compartmental localization on the function of yeast NADP(+)-specific isocitrate dehydrogenases. *Archives of Biochemistry and Biophysics* **423**, 235-246 (2004).
33. Burgard, A. P., Nikolaev, E. V., Schilling, C. H. & Maranas, C. D. Flux coupling analysis of genome-scale metabolic network reconstructions. *Genome Research* **14**, 301-312 (2004).
34. Otto, S. P. & Feldman, M. W. Deleterious mutations, variable epistatic interactions, and the evolution of recombination. *Theoretical Population Biology* **51**, 134-147 (1997).
35. Wagner, G. P., Laubichler, M. D. & Bagheri-Chaichian, H. Genetic measurement theory of epistatic effects. *Genetica* **103**, 569-580 (1998).
36. Remold, S. K. & Lenski, R. E. Pervasive joint influence of epistasis and plasticity on mutational effects in Escherichia coli. *Nature Genetics* **36**, 423-426 (2004).
37. Kishony, R. & Leibler, S. Environmental stresses can alleviate the average deleterious effect of mutations. *J Biol* **2**, 14 (2003).
38. Milo, R. et al. Superfamilies of evolved and designed networks. *Science* **303**, 1538-42. (2004).
39. Milo, R. et al. Network motifs: simple building blocks of complex networks. *Science* **298**, 824-7. (2002).
40. Shen-Orr, S. S., Milo, R., Mangan, S. & Alon, U. Network motifs in the transcriptional regulation network of Escherichia coli. *Nat Genet* **31**, 64-8 (2002).
41. Duda, R. O., Hart, P. E. & Stork, D. G. *Pattern Classification* (John Wiley and Sons, Inc., New York, 2001).
42. Kanehisa, M., Goto, S., Kawashima, S., Okuno, Y. & Hattori, M. The KEGG resource for deciphering the genome. *Nucleic Acids Res* **32 Database issue**, D277-80 (2004).
43. Krieger, C. J. et al. MetaCyc: a multiorganism database of metabolic pathways and enzymes. *Nucleic Acids Res* **32 Database issue**, D438-42 (2004).
44. Pramanik, J. & Keasling, J. D. Effect of Escherichia coli biomass composition on central metabolic fluxes predicted by a stoichiometric model. *Biotechnol Bioeng* **60**, 230-8 (1998).
45. Burgard, A. P. & Maranas, C. D. Optimization-based framework for inferring and testing hypothesized metabolic objective functions. *Biotechnol Bioeng* **82**, 670-7 (2003).
46. Mahadevan, R. & Schilling, C. H. The effects of alternate optimal solutions in constraint-based genome-scale metabolic models. *Metab Eng* **5**, 264-76 (2003).
47. Edwards, J. S. & Palsson, B. O. Robustness analysis of the Escherichia coli metabolic network. *Biotechnol. Prog.* **16**, 927-39. (2000).
48. Almaas, E., Kovacs, B., Vicsek, T., Oltvai, Z. N. & Barabasi, A. L. Global organization of metabolic fluxes in the bacterium Escherichia coli. *Nature* **427**, 839-843 (2004).
49. Burgard, A. P. & Maranas, C. D. Probing the performance limits of the Escherichia coli metabolic network subject to gene additions or deletions. *Biotechnology and Bioengineering* **74**, 364-375 (2001).